





**


Snow tank volume 4.1 m³ / compacted 5.1 m³

3}}

Water tank volume 1,450 | or 1,600 | or 2,200 | + Snow tank-water tank connection 2,800 | or 2,950 |

.....

Blade width 2,300 mm or 2,500 mm Blade change < 60 seconds



PETROL

FACTS & FIGURES



Engine	Ford MSG 425 - 2,500 cm ³
Power	51,5 kW / 70 HP - 2,600 rpm
Torque	190 Nm - 2,600 rpm
Unloaded weight	3,750 kg (basic outfit)
Water tank	1,450 l
	optional 1,600 l or 2,200 l
Snow tank	4.1 m ³ - compacted 5.1 m ³
Transmission	Continuously adjustable
	hydraulic all-wheel drive
Fuel tank	52 I
Hydraulic oil tank	65 I
Speed	0 - 16 km/h
Tyres	225 / 75 / R16 C
	6 rows of spikes
Wheel rims	8" x 16"






STANDARD EQUIPMENT

Cab with heated windshield in safety glass,
windscreen wiper system and interior light
PLC control
7 inch colour display
USB port for installing updates and data exchange
Button for automatic mode: Operations start
automatically in a predefined order
Spring-suspended and height-adjustable driver's
seat (fabric)
Armrest with storage capacity
Power steering
Easily-accessible engine compartment (tiltable)
with cab support
Hydraulic oil cooler
Water and fuel tank made of PE
Function for automatic water filling system with
immobilizer (Acquastop valve as optional)
Coated snow tank
Snow bin & water tank connection (> 2,800 l)

Footbrake and parking brake
Hydraulically driven and swivelling side brush
Board guide pulley
Side mirror, rear
Front headlights, snow bin headlight, side headlight
Flashing warning light
Acoustic signal for reverse drive, snow bin cover
operation, reverse of the screw conveyors and blade
exchange
Proportional water metering
System for water dosing in curves
Planing system made of stainless steel
Constant grinding pressure planing system
Quick-Change-System for fast blade replacement
(< 60 seconds)
2 blades in wooden transport box
(super-light blade - 3.5 kg)
2 towels
Scope of delivery-set





inguino /

evø



TECHNICS

WM technics GmbH Breiener Straße 15 I-39053 Blumau Tel. +39 0471 353 332 info@wm-technics.com

www.wm-technics.com







