

evo²

ELECTRIC
LITHIUM



Snow tank volume
4.1 m³ / compacted 5.1 m³



Water tank volume
1,200 l or 1,400 l or 2,000 l
+ Snow tank-water tank connection
2,550 l or 2,750 l



Blade width
2,300 mm or 2,500 mm
Blade change < 60 seconds



Fields of operations
Pro / Heavy duty

ELECTRIC / LITHIUM



FACTS & FIGURES

Motor	7 asynchronous motors
Total power	33 kW
Water tank	1,200 l optional 1,400 l or 2,000 l
Snow tank	4.1 m ³ - compacted 5.1 m ³
Transmission	Continuously adjustable electric all-wheel drive
Hydraulic oil tank	50 l
Speed	0 - 13 km/h
Tyres	225 / 75 / R16 C 6 rows of spikes
Wheel rims	8" x 16"



STANDARD EQUIPMENT

Cab with heated windshield in safety glass, windscreen wiper system and interior light
PLC control
7 inch colour display
USB port for installing updates and data exchange
Button for automatic mode: Operations start automatically in a predefined order
Spring-suspended and height-adjustable driver's seat (fabric)
Armrest with storage capacity
Power steering
Easily-accessible engine compartment (tiltable) with cab support
Maintenance-free asynchronous motors
Water tank made of PE
Snow bin & water tank connection (> 2.550 litres)
Function for automatic water filling system with immobilizer (Acquastop valve as optional)
Coated snow tank

Footbrake and parking brake
Hydraulically driven and swivelling side brush
Board guide pulley
Side mirror, rear
Front headlights, snow bin headlight, side headlight
Flashing warning light
Acoustic signal for reverse drive, snow bin cover operation, reverse of the screw conveyors and blade exchange
Proportional water metering
System for water dosing in curves
Planing system made of stainless steel
Constant grinding pressure planing system
Quick-Change-System for fast blade replacement (< 60 seconds)
2 blades in wooden transport box (super-light blade - 3.5 kg)
2 towels
Scope of delivery-set



In compliance with Suva certification
no. E 7139/2.e



Snow tank volume
4.1 m³ / compacted 5.1 m³



Water tank volume
1,200 l or 1,400 l or 2,000 l



Blade width
2,300 mm or 2,500 mm



Fields of operations
Pro / Heavy duty



evo²



WM evo²
Max Aicher Arena



WM technics GmbH
Breiener Straße 15
I-39053 Blumau
Tel. +39 0471 353 332
info@wm-technics.com

www.wm-technics.com



Mobile / Event

Pro / Heavy duty



Compact



evo²